


Flagship Video Phone for Desk and Room

Based on Android 9.0 OS, Yealink MP58 IP phone provides a supreme Microsoft Teams user experience. With an 8-inch adjustable multi-point touch screen and easy Teams interactive experience, all of these make collaboration easier than ever. Presenting a standalone voice solution and an unparalleled audio clarity, the VP59 is armed with Yealink's Optima HD Voice technology and Yealink Noise Proof technology. The VP59 provides the added flexibility for executives and professionals with its Bluetooth/Wi-Fi connectivity and the ability of USB headset connection. Compatible with wireless microphone and USB camera, and support HDMI-duplicated Output, making it easy to be deployed in huddle room.



Key Features and Benefits

Easy Collaboration

The 8-inch adjustable multi-point touch screen and the native Teams user interface provide a rich visual presentation and easy menu navigation. The built-in Bluetooth 4.2 and dual band Wi-Fi boast great functionality and expansibility. With HDMI output features, users are able to enjoy larger screen by connecting to a display.

HD Audio and Video

Armed with Yealink Optima HD Voice technology and Yealink Noise Proof technology to present an marvelous audio clarity. Rge Hardware Offloading technology ensures the 720P of P2P video and 720P of content sharing. Just work and talk freely and no need to worry about any noise or fuzzy.

Efficient Provisioning and Management

The Yealink VP59 is coupled with Yealink efficient auto-provisioning mechanism, including phone deployment and configuration. Administrators can take advantage of centralized deployment, management and updating. Moreover, VP59 supports several device management platforms, including Microsoft/Yealink/Unify Square Device Management Platform.

- Based on Android 9.0
- Native Microsoft Teams user interface
- 8 inch (1280 x 800) capacitive adjustable touch screen
- 2 mega-pixel HD camera with privacy shutter
- Yealink USB camera UVC30 Room (Optional)
- Yealink Wireless MIC CPW90-BT-Single (Optional)
- Built-in Bluetooth 4.2
- Built-in dual band 2.4G/5G Wi-Fi
- Dual-port USB 2.0
- Dual-port Gigabit Ethernet, PoE support
- HDMI port for connection to monitor or TV
- Supports up to 3 Expansion Module EXP50
- Full-duplex hands-free speakerphone with AEC
- Support Microsoft/Yealink/Unify Square device management platform

Audio Features

- HD voice: HD handset, HD speaker
- Hearing aid compatible (HAC) handset
- Yealink Wireless Mic CPW90-BT-Single (Optional)
- Yealink Noise Proof Technology
- Full-duplex hands-free speakerphone with AEC
- VAD, CNG, AEC, PLC, AJB, AGC

Video Features

- 2 mega-pixel camera with privacy shutter
- Horizontal field of view: 84°
- Vertical field of view: 54°
- Adjustable camera
- Plug and Play
- Yealink USB Camera UVC30 Room (Optional)

Call Handling Features

- Incoming/Outgoing P2P call
- Cloud PSTN call
- Call hold/Call mute/Call transfer/Call forward
- Group SimRing
- Synchronized call logs
- Visual voicemail

Conference Features

- Exchange Calendar Integration
- Meeting Call controls (Mute/unmute, hold/resume, hang up, add/remove participant)
- Meeting Details
- Schedule Teams meeting
- Join Skype for Business meetings

Presence and Contacts

- Presence Integration, Presence status control: available, busy, DND, be right back, off work, away, reset status
- Set status message
- Corporate Directory Access
- Contact Picture Integration

Phone Features

- Sign in with user credentials
- Sign in via website
- Dark Theme
- Time Display
- Phone lock/unlock
- Emergency calls
- Accessibility
- Screensaver, Power Saving
- Wi-Fi connectivity
- Supports Bluetooth/USB headsets

Display and Indicator

- 8" 1280 x 800 capacitive touch screen IPS LCD
- 10 points multi-touch surface
- LED for call and message waiting indication
- Multilingual user interface
- Native Teams interface

Interface

- Dual-port Gigabit Ethernet
- Power over Ethernet (IEEE 802.3af), class 3
- Built-in dual band Wi-Fi:
 - Network standard: IEEE802.11a/b/g/n/ac
 - Transmission rate: Up to 433Mbps (dynamic)
 - Frequency range: 2.4GHz/5.0GHz
- Built-in Bluetooth 4.2:
- 1 x USB port (2.0 compliant) for USB headsets
- 1 x USB port (3.0 compliant) for extending camera with USB3.0 cable
- 1 x RJ9 (4P4C) handset port
- 1 x RJ9 (4P4C) headset port
- 1 x HDMI output port
- 1 x Security lock port

Management

- Configuration: browser/phone/Auto provisioning
- Provisioning priority management
- Auto Provisioning via Activation Code
- Yealink Redirection and Provisioning Service (RPS)
- QoE (Monitoring Reports)
- Reset to factory, reboot
- Package tracing export, system log

- Screenshot via URL
- View license status
- Supports Microsoft Device Management Platform
- Supports Yealink Device Management Platform
- Supports Unify Square Device Management Platform

Network and Security


- IPv4/IPv6
- IP Assignment: Static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- Transport Layer Security (TLS)
- HTTPS certificate manager
- IEEE802.1X

Other Physical Features

- Color: Classic Grey
- External Yealink AC adapter (optional): AC 100~240V input and DC 12V/1A output
- USB output currency: 5V $\equiv$ 500mA
- Power consumption (PSU): 6.24W-9W
- Power consumption (PoE): 7W-10.2W
- Dimension (W*D*H*T): 273mm*226mm*285mm*42mm
- Operating humidity: 10~95%
- Operating temperature: -10~50°C (+14~122°F)

Package Features

- Package content:
 - Yealink VP59 IP phone
 - Handset with handset cord
 - Ethernet Cable
 - Stand
 - Quick Start Guide
 - Power Adapter (Optional)
- Qty/CTN: 5 PCS
- N.W/CTN: 12.39 kg
- G.W/CTN: 13.43 kg
- Giftbox size: 336 mm*364 mm*112 mm
- Carton Meas: 587 mm*376 mm*350 mm



About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

Copyright

Copyright © 2021 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R.C
Copyright©2021 Yealink Inc. All right reserved.

旗舰级视频话机

亿联 MP58 话机基于安卓 9.0 系统，提供极致的用户体验。VP59 不仅配备 8 英寸可调节多点触摸屏，而且还拥有 Teams 专属操作界面和更快的响应速度，使协作变得前所未有的简单。VP59 拥有高保真的音质，加上亿联先进的噪音消除技术，可以为用户提供高清语音通信。支持蓝牙 /Wi-Fi 连接，集成了 USB2.0 接口和 HDMI 接口，支持 USB 耳麦连接，支持双屏扩展显示等，丰富的功能让用户更加轻松高效地办公。



8 英寸触摸屏



高清音质



Microsoft 365

安卓 9.0 操作
系统内置双频
Wi-Fi

蓝牙耳机



HDMI 输出



混合模式



重点特征

极致的用户体验

亿联 VP59 IP 话机配备 8 英寸可调多点触控屏和 Teams 专属操作界面，成就了丰富的视觉效果和简洁高效的用户体验。话机不仅内置蓝牙和 Wi-Fi，让您即刻享受无线传输的便利性。而且还支持 HDMI 输出，您可以通过连接显示器来享受更大的屏幕体验。同时，话机还支持 Teams & SIP 混合模式，可以随时进行模式切换。

高清音视频


VP59 结合了专业的软硬件技术，亿联先进的高清音质技术和回声消除技术为用户提供高清语音通信。出色的音频体验，使用户能完全专注于通话内容。

易部署易管理

VP59 支持亿联高效的自动部署机制，出厂预设 Teams 专属版本，即插即用，Teams & SIP 混合模式易于使用 SIP 解决方案用户迁移到 Teams 解决方案，给用户带来轻松地安装体验。此外，VP59 支持对接多个设备管理平台，包括 Microsoft / Yealink / Unify Square 设备管理平台，管理员可以进行集中部署、管理、更新和维护。

- 基于安卓 9.0
- 微软 Teams 操作界面
- 8 英寸（1280 x 800）电容触摸屏
- 200 万像素带挡板高清摄像头
- 支持亿联 USB 摄像机 UVC30 Room（可选）
- 支持亿联无线麦 CPW90-BT-Single（可选）
- 内置蓝牙 4.2
- 内置双频 2.4G/5G Wi-Fi
- USB2.0 双接口
- 千兆双网口，支持 PoE
- 最大支持 3 个 EXP50 扩展台
- 支持 HDMI 双屏显示
- 全双工免提
- 支持对接 Microsoft/Yealink/ Unify Square 设备管理平台
- 支持 Teams & SIP 混合模式

音频特征 - 高保真音质：HD 手柄，HD 免提 - HAC 手柄 - 支持亿联无线麦 CPW90-BT-Single（可选） - 亿联专利的智能噪音消除技术 - 全双工免提 - VAD, CNG, AEC, PLC, AJB, AGC 视频特征 200 万像素带挡板高清摄像头 - 水平视角：84° - 垂直视角：54° - 摄像头角度可调 - 即插即用 - 支持亿联 USB 摄像机 UVC30 Room（可选） 通话处理特征 - P2P 通话 - PSTN 云端通话 - 呼叫保持，通话静音，呼叫转移，通话转接 - 群组响铃 - 同步通话记录（客户端） - 可视化语音邮箱 会议特征 - 会议日程跟 exchange 同步 - 会议控制（静音 / 取消静音，保持 / 恢复保持，挂断，添加 / 删除参与者） - 显示会议详情 - 创建 Teams 会议 - 加入 Sfb 会议 状态和联系人 - 状态信息控制：有空，忙碌，请勿打扰，马上回来，下班，离开，重置状态 - 设置状态信息 - 访问企业通讯录 - 支持联系人照片显示 话机特征 - 用户信息登录	- 网页登录 - 黑色系主题 - 显示时间 - 支持键盘锁 / 解锁 - 紧急呼叫 - 辅助功能 - 屏保，省电模式 - Wi-Fi 连接 - 支持蓝牙 /USB 耳麦 用户界面 8 英寸 1280 x 800 像素电容式触摸屏 10 点多触屏幕 - 来电和未读信息提示灯 - 支持多语种操作界面 - Teams 操作界面 接口 - 千兆双网口 - 支持 PoE 供电 (IEEE 802.3af), class 3 - 内置双频 Wi-Fi： - 网络标准：IEEE802.11a/b/g/n/ac - 传输速率：最高为 433Mbps（动态） - 频段：2.4GHz/5.0GHz - 内置蓝牙 4.2: 1 x USB2.0 接口，连接 USB 耳麦 1 x USB3.0 接口，连接摄像头 1 x RJ9 (4P4C) 手柄接口 1 x RJ9 (4P4C) 耳麦接口 1 x HDMI 高清视频输出 1 x 安全锁孔 配置管理 - 支持三种配置模式：网页、话机及自动配置 - 分层级管理 - 通过激活码自动部署 - 亿联重定向和配置服务（RPS） - 支持 QoE（通话质量数据上报） - 恢复出厂设置，重启 - 抓包和系统日志导出 - 支持 URL 截图 - 支持查看证书安装状态 - 支持微软设备管理平台 - 支持亿联设备管理平台（YDMP/YMCS）	- 支持 Unify Square 设备管理平台 网络安全 - IPv4/IPv6 - IP 地址分配模式：静态 / 动态 - HTTP/HTTPS - SNTP 自动同步日期和时间 - 支持 TLS - HTTPS 证书管理 - 支持 IEEE802.1X 其他物理特征 - 颜色：商务灰 - 电源适配器（可选）： AC 100-240V 输入，DC 12V/1A 输出 - USB 输出：5V ===500mA - 功耗（PSU）：6.24W-9W - 功耗（PoE）: 7W-10.2W - 裸机尺寸 (W*D*H*T): 273mm*226mm*285mm*42mm - 操作环境湿度：10~95% - 操作环境温度：-10~50° C (+14~122° F) 外箱包装 - 包装清单： - 亿联 VP59 IP 话机 - 手柄和手柄线 - 网线 - 底座 - 快速入门指南 - 电源适配器（可选） - 数量 / 箱：5 件 - 净重 / 箱：12.39 kg - 毛重 / 箱：13.43 kg - 彩盒尺寸：336 mm*364 mm*112 mm - 外包箱尺寸：587 mm*376 mm*350 mm
---	---	--



关于亿联

厦门亿联网络技术股份有限公司（股票代码：300628）是面向全球的企业通信上市公司，提供国际品质、技术领先、体验友好的云 + 端视频会议、IP 语音通信及协作解决方案，且与微软等国际品牌达成长期深度的战略合作。亿联网络以研发为核心，坚持自主创新，拥有多项音视频核心技术专利，致力于让沟通更简单、更高效，帮助各类企事业单位提高效率和竞争力。其自主品牌 Yealink 畅销美国、英国、澳大利亚等 140 多个国家和地区，*SIP 话机市场占有率为全球第一，* 用户满意度全球第一。（* 数据来源于 Frost&Sullivan 2017-2019 年数据及 Eastern Management Group 2018 年调研结果）。

版权所有

Copyright © 2021 厦门亿联网络技术股份有限公司

本手册版权归厦门亿联网络技术股份有限公司所有，未经书面许可，不得以任何形式、任何手段（电子、机械、影印、录音或其他方式）或出于任何目的复制或传播本文档中的任何部分。

技术支持

请访问 <http://support.yealink.com> 获取最新的固件版本、产品手册等材料，FAQ 中可以找到常见问题及解决方案，为了方便您更好的获取相关的技术支持服务，您可登录 <https://ticket.yealink.com> 提交您的相关问题，我们将有专业人员为您解答。



厦门亿联网络技术股份有限公司
网址：www.yealink.com.cn
地址：福建省厦门市湖里高新园区
岭下北路 1 号亿联研发大楼
版权 © 亿联网络技术股份有限公司 2021