

Yealink's Core Offering for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communications backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams native voice and video solutions to reduce costs of procurement & support/services



True Teams 'best of breed', Consistent Teams experience to drive user adoption



Tenant Admins can manage the phones / MVC series via Yealink Device Management Platform



Global support and services, and full package covering customer's after sales service at one-stop









Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams covering from huddle to extra-large meeting spaces, including MTR system, collaboration bar and video phone. To meet different requirements of customers, Yealink not only offers the VC210 collaboration bar for huddle to small spaces, but also provides the MVC900 II system that can meet the needs of extra-large rooms convering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

Learn more from the solution page: https://www.yealink.com/solution/microsoft-video

Yealink Teams Collaboration Bar



VC210 Teams Edition for huddle and small rooms

Product Name: VC210-CP900-Teams | Part Number: 1103995



Easy Teams meeting with touch-control or remote controller



120° 4K HD camera & HD full-duplex speakerphone



Space saving design, simple deployment with plug-and-play setup

Specifications

- · All-in-one design
- · Android 9.0 OS
- · Touch or Remote control
- · Content viewing
- · Whiteboard

- · 4K resolution ratio, 3x e-PTZ camera, and 120° wide-angle lens
- · Auto framing

- · Dedicated HD Audio
- · Built-in Bluetooth
- · Built-in dual-band Wi-Fi

Learn more from the product page: https://www.yealink.com/product/video-conferencing-vc210-ms-teams

Yealink Teams Video Phone





Product Name: VP59 Teams Edition | Part Number: 1303053



Start Teams meeting easily with standalone Teams video phone



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

- · 8 inch (1280 x 800) capacitive adjustable touch screen
- · Optimal HD audio, support Yealink Noise Proof technology
- · HDMI for connection to monitor or TV Based on Android 9.0
- · Full-duplex hands-free speakerphone with AEC
- · Microsoft Teams-tailored user interface
- · Support Microsoft/Yealink/ Unify Square device management platform
- · 2 mega-pixel HD camera with privacyshutter
- · Built-in Bluetooth 4.2
- · Built-in dual band 2.4G/5G Wi-Fi
- · USB 2.0 port
- · Dual-port Gigabit Ethernet, PoE support

Learn more from the product page: https://www.yealink.com/product/microsoft-teams-video-phone-vp59

Yealink MVC II Series Microsoft Teams Rooms System

Complete Bundle Solution

The Yealink MVC II series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- · Easy to use no learning cost
- · One click to join



Wireless Content Sharing

· One click to share content wirelessly with WPP20



Simplified Cabling System

- · Shorten deployment time
- · For all MVC II Teams room system

Tailored Voice and Video Experience for Diverse Meeting Rooms





4K Camera, 120°FoV, Auto Framing



HD Voice, Full-duplex, built-in 6 MEMS microphone





MVC400 for huddle and small rooms (2-7 users)



UVC40 All-in-One USB Video Bar

Al Tech: Auto Framing & Speaker Tracking, 20MP, 133° FoV



Noise Proof, Full-duplex, built-in 8 MEMS Microphone





MVC500 II

for small and medium rooms (6-11 people)



1080P/60FPS video, 5x optical zoom



CPW900

wireless microphone, Noise Proof, built-in Li-battery, 11 days standby, 19 hours talking time (option: with wired mic VCM34)





MVC800 II for medium and large rooms (12-18 people)

1080P/60FPS video, 12x optical zoom



VCM34

20 feet voice pickup range, cascade connection for up to 4 unit





for extra-large rooms (>18 people)



UVC80

1080P/60FPS video, 12x optical zoom with Camera-Hub, up to 9 cameras




Flexible Audio Options

can work with Microsoft Teams certified audio components



| Yealin | k MV | C II Series | Teams Room S | System Specifi | cation | | | | | |
|----------------------|---|-------------------|---|--|---|--|---|--|--|--|
| Module | | Features | MVC300 II | MVC400 | MVC500 II-Wireless | MVC800 II | MVC900 II | | | |
| | Target Room Size | | Focus and small rooms | Small room | Small and medium rooms | Medium and large rooms | Extra large rooms | | | |
| | Mini-PC | | Yealink MCore | | | | | | | |
| Components | Touch Console & Sharing Device | | Yealink MTouch II | | | | | | | |
| | USB Camera | | Yealink UVC30 Room 4K camera | Yealink UVC40 all-in-one USB video bar | Yealink UVC50 5X optical PTZ camera | Yealink UVC80 12X optical PTZ camera | Camera Hub 2x Yealink UVC80 12X optical PTZ camera | | | |
| | Audio | | Yealink CP900 tabletop speakerphone | | 2x CPW90 array mic + Yealink soundbar | 2x VCM34 array mics + Yealink soundbar | | | | |
| | CPU | | 8th-gen Intel QUAD-CORE i5-8265U | | | | | | | |
| MCore | Memory | | 8GB (2*4GB) | | | | | | | |
| | Storage | | 128GB SSD | | | | | | | |
| | Video Output | | 2x HDMI, CEC supported | | | | | | | |
| | USB | | 4x USB3.0 | | | | | | | |
| | Wi-Fi | | √ | | | | | | | |
| | Bluetooth | | √ | | | | | | | |
| | Yealink VCH Port | | √ | | | | | | | |
| | Cable Management | | √ | | | | | | | |
| | Screen Size | | 8 inches IPS screen | | | | | | | |
| | Screen Resolution | | 1280 x 800 | | | | | | | |
| | Bracket | | Adjustable 28° ~ 50° | | | | | | | |
| | Human Motion Sensor | | √ | | | | | | | |
| | 3.5mm Audio Port | | 1 | | | | | | | |
| MTouch II | USB-A Port | | 1x USB-A Port, connect to USB audio device if necessary | | | | | | | |
| | Content Sharing Resolution / Frame Rate | | 1080P/30FPS | | | | | | | |
| | Video Input interface for Content Sharing | | HDMI & USB-C | | | | | | | |
| | Built-in Wi-Fi AP for Content Sharing | | $\sqrt{}$ | | | | | | | |
| | Wireless Content Sharing | | | Work with | Yealink WPP20 wireless preser | ntation pod | | | | |
| | UVC Protocol | | UVC 1.1 | UVC 1.1 | UVC 1.1 | UVC 1.1 | UVC 1.1 | | | |
| | Zoom | | 3X digital | 8X digital | 5X optical | 12X optical | 12X digital | | | |
| | Resolution / Frame Rate | | 4K / 30FPS | 4K/30FPS | 1080P / 60FPS | 1080P / 60FPS | 1080P / 60FPS | | | |
| | Field of View(diagonal) | | 120° | 133° | 91° | 78.5° | 78.5° | | | |
| | Pan/Tilt range | | E-PTZ | E-PTZ | 60°/40° | 200°/60° | 200°/60° | | | |
| Camera | Auto Framing | | \checkmark | √ | $\sqrt{}$ | $\sqrt{}$ | √ | | | |
| Features | Speaker Tracking | | X | √ | X | X | X | | | |
| | Presets | | √ | √ | √ | √ | √ | | | |
| | Lens Cap | | √ | Electirc lens cap | X | X | X | | | |
| | Audio Ports | | NA | 1x Yealink Microphone port + 1x Line-in port | 1x Yealink Microphone port + 1x Line-in & 1x Line-out ports | 1x Yealink Microphone port + 1x Line-in & 1x Line-out ports | 1x Yealink Microphone port + 1x Line-in & 1x Line-out ports | | | |
| | Power Adapter | | NA | AC 100~240V Input and DC 48V/0.7A Output | AC 100~240V Input and DC 48V/0.7A Output | AC 100~240V Input and DC 48V/0.7A Output | AC 100~240V Input and DC 48V/0.7A Output | | | |
| | Camera Layout | | | | NA | NA | Support full screen, surrond, division mode | | | |
| Camera-hub | Maximum number of cameras Audio Ports | | NA | NA | | | Up to 9 | | | |
| | | | | | | | | | | |
| | | | | | | | 1x Yealink Microphone port + 1x RCA-in & 1x RCA-out ports | | | |
| | | Frequent Response | 115 Hz -16 KHz | 100-20Khz | 100 Hz - 20K Hz | 100 Hz - 20K Hz | | | | |
| | Speaker | RMS | 3W | 3W | 10W | 10W | | | | |
| | | THD | 1.00% | 1.00% | 1.00% | 1.00% | | | | |
| Audio | Microphone | | 1x CP900 Speakerphone | Built-in microphone | 2x CPW90 wireless mic | 2x VCM34 array mics for medium 3x VCM34 array mics for large | NA | | | |
| Features | | | 6 MEMS mic array | 8 MEMS mic array | DECT technology, up to 50 meters distance | Built-in 3-mic array | | | | |
| | | | 6.5ft (2-meter)voice pickup range | Beamforming microphone technology | 10ft(3-meter) voice pickup range of every microphone unit | 20ft(6-meter) voice pickup range | | | | |
| | | | NA | Support wired and wireless extension mic (pending) | Supports up to 4 wireless microphone units | Cascade connection up to 4 units | | | | |
| Preload | Operating System | | Windows 10 IoT Enterprise OS & License | | | | | | | |
| | Microsoft Teams Rooms App Yealink RoomConnect | | J | | | | | | | |
| | Device Management Agent | | | | | | | | | |
| | Windows Update | | √ | | | | | | | |
| Device Management | Yealink Device Management Platform/Cloud Service | | √ . | | | | | | | |
| | Microsoft SCCM | | √ | | | | | | | |
| | Microsoft Intune | | \checkmark | | | | | | | |



THE FIRST **Teams Phone Series**

The first Microsoft Teams speakerphone in the industry, offering the Microsoft Teams experience to all desktop devices seamlessly

THE FIRST One-stop Provider

The first stable and matured certified Teams desk phone series (available for insert space SfB Migration), which has been available since 2018

THE FIRST One-stop Provider

The first to offer one-stop audio certified Microsoft Teams devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

A Whole Series of Voice Device Solutions **Covering Multiple Scenarios**

Personal devices























Desk phone



High-Quality Audio

- · Optimal HD audio, Yealink Noise Proof Technology
- · Full-duplex hands-free speakerphone with AEC



Native Microsoft Teams Experience

- · Embedded native Teams-tailored user interface
- · Consistent call and Teams meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

Desk Phones



Yealink T55A

Cost-effective Phone for Microsoft Teams



4.3-inch Multitouch Screen











(2)





Yealink MP56

Mid-level Microsoft Phone for office workers





HD Audio

7-inch Multitouch Screen



1000 M Gigabit

Built-in Wi-Fi &





Yealink T58A

Premium Phone for Microsoft Teams



7-inch Multi-



HD Audio



Gigabit

Android OS

Bluetooth



Conference Phone



Yealink CP960

Enterprise-grade Conference Phone for Microsoft Teams

Suppression



5-inch Multitouch Screen





HD Audio Backgroud Noise









Migration of Yealink Voice Devices from Skype for Business to Teams

- $\sqrt{}$ Yealink support the upgradability of firmware from Skype for Business to the
- √ Hybrid-mode feature on Teams devices provide an integrated Teams and SIP app experience.



| Specification | | | | |
|--|--|--|---|---|
| | CP960 | T58A | MP56 | T55A |
| Android OS | Android 7 | Android 7 | Android 9 | Android 7 |
| LCD | 5" 720x1280 multi-touch screen | 7"1024 x 600-pixel capacitive touch screen | 7"800 x 480-pixel capacitive touch screen | 4.3"480 x 272-pixel capacitive touch screen |
| Modern Teams UI | \checkmark | J | J | V |
| HD Voice | Optimal HD voice Full duplex technology | HD Handset HD Speaker | HD Handset HD Speaker | HD Handset HD Speaker |
| Yealink Noise Proof Technology | \checkmark | J | J | J |
| Dedicated Microsoft Teams button | × | × | J | × |
| Teams Contacts | \checkmark | √ | √ | √ |
| P2P call/Cloud PSTN call | J | √ | J | V |
| Synchronized Call Logs | \checkmark | √ | J | √ |
| Visual Voicemail | V | J | J | J |
| Corporate Directory Access | V | V | J | V |
| Exchange Calendar Integration | \checkmark | J | J | J |
| One-Click Join for Meetings | V | V | J | V |
| Schedule Teams meeting | V | V | J | V |
| E911 Calling | \checkmark | V | J | V |
| Hot Desking | \checkmark | J | J | J |
| Accessibility | V | V | J | V |
| Phone Lock | J | V | J | V |
| Screensaver | V | √ | J | V |
| Power Saving | V | V | J | V |
| Teams&SIP Hybrid Mode | J | V | J | V |
| Auto provision by TFTP/FTP/HTTPS | $\sqrt{}$ | J | J | V |
| Yealink Redirection and Provisioning Service (RPS) | \checkmark | V | J | V |
| Ethernet port | 1 x RJ45 10/100M | Dual-port Gigabit | Dual-port Gigabit | Dual-port Gigabit |
| Power over Ethernet (PoE) | (IEEE 802.3af), class 3 | (IEEE 802.3af), class 3 | (IEEE 802.3af) , class 3 | (IEEE 802.3af), class 3 |
| USB port | 2 | 2 | 1 | 1 |
| Bluetooth | √(built-in) | √(built-in) | √(built-in) | √(Only with Dongle BT41) |
| Wi-Fi | √(built-in) | √(built-in) | √(built-in) | √(Only with Dongle WF50) |
| Wall-mountable | × | V | J | J |



A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video BYOD (Bring-your-own-device)

















Speakerphone

Camera

BYOD

USB Peripherals

Speakerphone



Microsoft Teams Skype for Business

CP700

Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people



audio



connection



desian



LOW learning













Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people







design



Good for huddle rooms







USB Headset designed for Unified Communication, office, and call center professionals





integration





All day wearing comfort





UVC30 Desktop

4K USB Camera with Auto-Framing and Windows Hello Support



Quality



Framing



of View



PTZ Control



management



BYOD Meeting Kit



UVC30-CP900-BYOD Meeting Kit

For Small and Huddle Rooms



Cost



Plug and Play



Premium Video Quality

J) High Quality



All-in-One USB Video Bar



UVC40 All-in-One USB Video Bar · BYOD

For Simple and Smart Video Conferencing in Small and Huddle Rooms



Framing



Tracking







Electric Remote Device 8 Microphone Array & Lens Cap Management Built-in Speaker

