Specification

Audio Feature

HD Voice	HD handset, HD speaker
Narrowband codec	PCMU (G.711µ), PCMA (G.711A), G.723.1, G.729, G.729A, G.729B, G.729AB, G.726, iLBC
Smart Noise Filtering	\checkmark

Telephony Features

line	2
N-way Conferencing	5

Display and Indicator

Display	2.3" black-white graphical LCD
Resolution	132x64
LCD Type (backlight)	Adjustable
LED	3

Feature keys

Line keys	2 (with LED)
Feature keys	6
Navigation keys	5
Volume Control keys	

Interface

Handset Port	2x RJ9
Ethernet Port	2 x RJ45 10/100M Ethernet ports
WiFi	Built-in (2.4G and 5G)
Bluetooth	Х
USB	Х
Power	
PoE	
AC Adapter	Input: AC 100-240 V Output: DC 5V/0.6A
Power Consumption	PSU: 1.3-1.7W PoE: 2-2.6W

Other Physical Features

Color	Classic Grey
Wall Mountable	
Foot Stand	2 adjustable angles
Dimension (W×D×H×T)	188 × 189 × 162 × 50mm
Operating Humidity	10-95%
Operating Temperature	-10 to +45°C (+14 to 113°F)
Storage temperature	-30 to +70°C (-22 to+158°F)



Yealink

Yealink SIP-T31W

Enhanced Communication, Boost Your Business



T31W, an entry-level Wi-Fi IP phone with a wide range of features, offers a user-friendly experience. Equipped with a large 2.3-inch graphical LCD display with backlight (132x64 pixels), it supports 2 SIP lines and accommodates 5-way audio conferences. The T31W doesn't compromise on functionality, featuring HD audio, built-in Power over Ethernet (PoE), and integrated 2.4GHz & 5GHz Wi-Fi. It's the perfect choice for enterprises seeking efficient, high-quality business communication solutions.

Built-In WIFI, Effortless Deployment

The T31W supports 2.4G/5G built-in WiFi, providing more options for network connectivity. Enjoy faster, hassle-free deployment with reduced cabling for a more attractive and efficient work-space.





Superior HD Audio, Better Communication

T31W provides distraction-free communications with industry leading Smart Noise Filtering Technology, which delivers excellent sound quality without extraneous noises and allows fluent conversations.

Classic Design, Practical Details

T31W inherits the design concept of Yealink IP phone family, including modern appearances and ergonomic details enables easier and friendly operation experience to users.



Enhanced Security, Enjoy Peace of Mind

The T31W is shielded with the latest in security protocols, making your conversations more secure than ever. With TLS 1.3, you benefit from faster and more robust encryption, while WPA3 guards your network against emerging threats.



All in One Platform, Convenient Management

Proven reliability and integrations for Yealink Device Management Platform, installed the unified firmware, T3 series is simple to deploy and manage, which allows a significant reduction in the operation and maintenance cost.



Remote Diagnostics

Get the debug files with one click, which together with remote reset/reboot, reduces after-sales service costs and improves the efficiency



Call Statistics with Real-time Alarm Graphical QoE and real-time alarm notification with rules



Timer Tasks with Flexibility

Schedule one-off or recurring tasks at pre-defined times and intervals

(L)	
\smile	

Unified Deployment & Management Bulk configuration, and customization by region/department/model

