

Yealink UVC30 Desktop is a UHD 4K Webcam for personal desktop with vivid and excellent experience, which can be applied to remote working, open meeting scenarios, distance education, training, live streaming, and telemedicine. The sharp image and accurate color reproduction of 4K camera provide a vivid face-to-face video meeting experience. Adjustable FOV and facial detection ensure perfect framing. Besides, UVC30 Desktop supports Windows Hello feature to enhance login security. Compatible with virtually all video conferencing software applications, you can quickly set up and run any meeting.

## Frictionless Image, Excellent Display

UVC30 Desktop delivers a superb video quality and excellent display for any position or distance before the laptop or camera. UHD 4K resolutions brings extremely clarity as face to face. Adjustable FOV(70°/90°/120°) makes it flexible to catch people. Embedded microphone for accurate voice pickup raning up to 150°/6.6 feet, offering a clear and optimal sound.



## Face Detection, Windows Hello Feature

The facial detection of UVC30 Desktop ensues more somooth framing. Moreover, certified by Microsoft, UVC30 Desktop is capable of Windows Hello feature to enhance your PC login security with more intelligent experience.



## Easy Using, Convenient Management

UVC30 Desktop is USB plug-and-play and right for various video conferencing platforms or applications with a convenient BYOD experience. Moreover, Yealink provides Yealink USB Connect for free to simplify the process of managing Yealink USB devices of the camera. Yealink Connect delivers a host of capabilities to monitor usage, access the device information, conduct diagnoses and perform firmware updates.



odel	UVC30 Desktop
ositioning	Personal computer
amera	1/2.5" CMOS, 8.51M pixel
JVC Protocol	UVC 1.5/UVC 1.1
JSB Cable	1 x 1.6m USB 3.0
nfrared Camera	√
	 √
Built-in Microphone	
Depth of View (meter)	0.5m~3m
Field of View (Diagonal)	70°/90°/120°
Auto Framing	√
PTZ	EPTZ
Zoom	3x digital
/ideo Output	4K30, 1080p60/30, 720p60/30
Maximum Resolution	4К
Maximum FPS	60FPS
Wide Dynamic Range	
Exposure	Auto
White Balance (WB)	ATW/Auto/Manual
Shutter Speed	1/60 ~ 1/10000 seconds
Signal Noise Ratio(SNR)	63dB
_ED Indicator	√
Effective Focus Length	f=2.22mm
Aperture (F#)	F/2.4
Vin, Illumination	0.5 lux (in daylight), 0.1 lux (at night)
Dimensions	59 mm x φ45 mm
System Requirement	Windows7, Windows10, Mac OS 10.10 or higher
Certification	Windows Hello Certification

