

## Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption

Easy Deployment & Remote Management

Tenant admins can manage the devices via Yealink Device Management Platform



Global Coverage & Support Services

Professional support and post-sales services for worldwide customers



Certified for Microsoft Teams

# Yealink Video Device Solutions for Microsoft Teams

## Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A20 and A30 for small and medium spaces, but also provides the MVC940 and MVC960 room system that can meet the needs of extra-large rooms covering up to 30 users.


With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

## **Microsoft Teams Rooms on Android**



## MeetingBar A20 for huddle and small rooms

- All-in-one MeetingBar for smart Teams collaboration
- 0 120° field of view, 20MP, Al-powered camera
- ()) HD full-duplex audio experience





## MeetingBar A30 for medium rooms

- All-in-one MeetingBar with smart AI features
- Dual-camera system for large views
- ()) HD full-duplex audio and great pickup range
- Plug-and-play setup and easy management

## **Microsoft Teams Video Phone**



## VP59 Teams Video Phone for executive desk and huddle rooms



Start Teams meeting easily with standalone Teams video phone



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

## **Specifications**

## MeetingBar A20 Teams Edition

### A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable \*2 · Mounting Bracket
- and Accessories
- · Power adapter
- · Quick Start Guide

### Camera

- · 20MP Camera
- · 120° field of view
- · 8x e-PTZ camera · Electric privacy
- shutter · Al Feature
- Auto Framina
- Speaker Tracking

- Audio
- · Built-in 8 MEMS microphone array
  - · Support extention mic · Built-in 5W high fidelity
  - speaker · Yealink Noise Proof Technology
  - · Beamforming directed voice pickup technology
  - · Full-deplex
  - · Echo cancellation

- **Meeting Features**
- · Calendar
- · One-click join
- · Proximity join
- · PSTN dial-in
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- · Meeting collaboration Mute/Unmute
  - Volume Up/Down
  - Hang up

- MeetingBar A30 Teams Edition
- A30 -Teams Package
- · MeetingBar A30
- · 3m Ethernet cable
- · 2 x 1.8m HDMI cable
- · Mounting Bracket
- and Accessories
- Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing (optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System Wide Camera:

## · 8MP Camera

- · Field of view: 120°
- · 4x e-PTZ Camera
- Telephoto Camera:
- · 8MP Camera
- Field of view: 90°
- · 10x Hybrid Zoom
- (3.5x optical, 3x digital)
- · Horizontal Rotation
- Angle: +25°/-25°
- · Vertically Rotation Angle: +16°/-16°
- · Electric Privacy Shutter
- · Intelligence Features
- Auto Framing
- Speaker Tracking

## Audio

- · Built-in 8 MEMS
- microphone array
- · Support extention mic
- · Two Built-in 5W high fidelity speaker
- · Yealink Noise Proof
- Technology
- · Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation

### **Meeting Features**

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing - Whiteboard
- · Meeting control
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

· 2 mega-pixel HD camera with

· Built-in dual band 2.4G/5G Wi-Fi

· Dual-port Gigabit Ethernet, PoE

privacyshutter

· USB 2.0 port

support

· Built-in Bluetooth 4.2

- Microsoft DM
- Proximity join

## **VP59** Teams Edition

- · 8 inch (1280 x 800) capacitive adjustable touch screen
- · Optimal HD audio, support Yealink Noise Proof technology
- · HDMI for connection to monitor or TV Based on Android 9.0

For any queries, please contact us via UCinfo@yealink.com

- · Full-duplex hands-free speakerphone with AEC
- · Microsoft Teams-tailored user interface
- · Support Microsoft/Yealink/ Unify Square device management platform

## **Microsoft Teams Rooms System on Windows**

## **Complete Bundle Solution**

The Yealink MVC II series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience • Easy to Use

 $\cdot$  One-touch to join



 Wireless Content Sharing
 One tap to share content wirelessly with WPP20



Simplified Cabling System · Shorten deployment time · For all MVC II room systems

## Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320 for focus and small rooms (2-6 users)

4K camera, 120°FoV, Auto Framing

MSpeech HD voice, full-duplex, 10ft/6 meter pickup range





MVC400 for huddle and small rooms (2-7 users)

## 

**UVC40 All-in-One USB Video Bar** Al features: Auto Framing & Speaker Tracking 20MP, 133° FoV



noise proof, full-duplex, built-in 8 MEMS microphone





MVC640 for medium rooms (7-11 users)

UVC84 4K camera, 12x optical zoom, Auto Framing

てし

MSpeech HD voice, full-duplex, 10ft/6 meter pickup range





MVC640-Wireless-CPW90 for medium rooms (7-11 users) UVC84 4K camera, 12x optical zoom, Auto Framing

CPW90

360° 10 feet voice pickup range,flexibility in placement without any wiring troubles.





MVC840 for medium and large rooms (12-18 users)

UVC84 4K camera, 12x optical zoom, Auto Framing

VCM34 360° 20 feet voice pickup range, cascade connection for up to 6 units





MVC940 for extra-large rooms (>18 users)

## 

4K camera, 12x optical zoom, multi-camera solution with AVHub (up to 9 cameras)

( ] ) )

Flexible Audio Options work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II





MVC660 for medium rooms (7-11 users)

### 

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



MSpeech HD voice, full-duplex, 10ft/6 meter pickup range





MVC860 for medium and large rooms (12-18 users)

### $\Box 0$ UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking

### Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone and the CPW90 wireless microphone with MSpeaker II







**MVC960** for extra-large rooms (>18 users)

### 30 UVC86

Dual-eye 4K intelligent tracking camer-a,12x optical zoom, Auto Framing, SpeakerTracking and Presenter Tracking, multi-camera Solution with AVHub(up to 9 cameras)



Flexible Audio Options work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



Module			MVC960	MVC940	MVC860	MVC840		
	Target Rooi	m Siza	Extra large rooms	Extra large rooms	Large rooms	Large rooms		
	Mini-PC	ITSIZE	Extra large rooms	5	Mcore	Largerooms		
	Touch Console & Sharing Device		Yealink MTouch II					
Components	USB Camer	а	AVHub 2x Yealink UVC86	AVHub 2x Yealink UVC84	Yealink UVC86 Dual-Eye	Yealink UVC84 4K 12X		
	Audio		Dual-Eye Intelligent Camera Flexible options	4k 12X optical PTZ camera Flexible options	Intelligent Camera VCM34 array mic/CPW90 wireless mic/VCM38 ceiling mic + Yealink soundbar	optical PTZ camera 2x VCM34 array mics + Yealinl soundbar 3x VCM34 array mic + 2x Yealink soundbar		
	Wireless Pro	esentation	2x WPP20	2x WPP20	WPP20 (Optional)	Optional		
	MVC-BYOD		$\checkmark$	Optional	Optional	Optional		
	CPU		Intel QUAD-CORE i5-8265U					
	Memory		8GB (2*4GB)					
	Storage		128GB SSD					
	Video Outp	ut		2x HDMI, CE	C supported			
MCore	USB .			4x U	SB3.0			
	Wi-Fi				$\checkmark$			
	Bluetooth				$\checkmark$			
	Yealink VCH	Port			$\checkmark$			
	Cable Mana	agement			$\checkmark$			
	Screen Size	9		8 inches I	PS screen			
	Screen Res	olution		1280	x 800			
	Bracket			Adjustable	e 28° ~ 50°			
	Human Mot	tion Sensor		-	$\checkmark$			
MTouch II	3.5mm Audi	io Port			$\checkmark$			
WITOGETTI	USB-A Port		1x USB-A Port, connect to USB audio device if necessary					
		aring Resolution / Frame Rate		1080P	/ 30FPS			
		interface for Content Sharing			USB-C			
		Fi AP for Content Sharing						
		ontent Sharing			wireless presentation pod			
	UVC Protoc	ol	UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0		
	Zoom		12X optical	12X optical	20XHDzoom(12Xoptical, 1.7X digital)			
		/ Frame Rate	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS		
	Field of Viev		90°	°08	90°	80°		
0	Pan/Tilt ran	0	200°/130°	200°/130°	200°/130°	200°/130°		
Camera	Auto Framing			√x		√x		
Features	Speaker Tracking		V √	×	V 	×		
	Presenter Tracking		1x VCH port (RJ45) for mic	1x VCH port (RJ45) for mic	1x Yealink VCH port (RJ45) +	1x VCH port (RJ45) for mic an		
	Audio Ports		and speaker 1x Line-in port for audio reference	and speaker 1x Line-out port	1x Line-in port	speaker 1x Line-out port		
	Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output		
	Camera Layout		Support camera layout including full screen, surrond, division	Support camera layout including full screen, surrond, division				
	Maximum n	umber of cameras	Up to 9	Up to 9	NA	NA		
AVHub	Audio Ports		or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in Port, 1x 6.3mm Line-out port	Port, 1x 6.3mm Line-out port				
		Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz		
	Speaker	RMS THD	10W 1.00%	10W 1.00%	10W	10W		
			Up to 4	Up to 4	1.00%	1.00%		
Audio Features	Maximum Speakers Microphone		Support VCM34 tabletop or VCM38 ceiling mics	Support VCM34 tabletop or VCM38 ceiling mics	Up to 4 2~6 VCM34 array mics	Up to 4 2~3 VCM34 array mics		
			Built-in 3-mic array for VCM34 Built-in 8-mic array for VCM38	Built-in 3-mic array for VCM34 Built-in 8-mic array for VCM38	2~8 VCM38 ceiling mics	Built-in 3-mic array		
			360° voice pickup	360° voice pickup	2~4 CPW90 wireless mics	20ft(6-meter) voice pickup ran		
			Cascade connection up to 6 units for VCM34 Cascade connection up to 8 units for VCM38	Cascade connection up to 6 units for VCM34 Cascade connection up to 8 units for VCM38	NA	Cascade connection up to 6 unit		
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DS System including Shure, Biamp, et		
	Operating System							
			Windows 10 IoT Enterprise OS & License					
Proload	Microsoft Teams Rooms App Yealink RoomConnect							
Preload	Yealink RoomConnect Device Management Agent		$\checkmark$					
Preload		agement Agent						
Preload					$\checkmark$			
Device	Device Man Windows U Yealink Dev	pdate ice Management			$\checkmark$			
	Device Man Windows U Yealink Dev	pdate ice Management loud Service						

Module	ule		MVC660	MVC640- Wireless-CPW90	MVC640	MVC400	MVC320		
	Target Room Siz	7e	Medium rooms	Medium rooms	Medium rooms	Small rooms	Focus rooms		
	Mini-PC			Wieddimfooffio	Yealink MCore	omainteenite	1 occus rooms		
	Touch Console & Sharing Device		Yealink MTouch II						
Components	USB Camera		Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC40 all-in-one USB video bar	Yealink UVC30 Room 4K camera		
	Audio		Yealink MSpeech tabletop	2x CPW90 wireless mics +	Yealink MSpeech		Yealink MSpeech tableto		
	Wireless Presentation		speakerphone WPP20 (Optional)	Yealink soundbar WPP20 (Optional)	tabletop speakerphone Optional	Optional	speakerphone Optional		
	MVC-BYOD-Exte		NA	Optional	NA	Optional	NA		
	CPU		INA	·		•	INA		
			Intel QUAD-CORE i5-8265U						
	Memory		8GB (2*4GB)						
	Storage				128GB SSD				
	Video Output				2x HDMI, CEC supported				
MCore	USB				4x USB3.0				
	Wi-Fi								
	Bluetooth		$\checkmark$						
	Yealink VCH Port		$\sim$						
	Cable Managem	nent							
	Screen Size				8 inches IPS screen				
	Screen Resolution		1280 × 800						
	Bracket		Adjustable 28° ~ 50°						
	Human Motion S	Sensor							
MTouch II	3.5mm Audio Po	rt	v √						
MITOUCHII	USB-A Port		1x USB-A Port, connect to USB audio device if necessary						
	Content Sharing Resolution / Frame Rate								
	Video Input interface for Content Sharing								
	Built-in Wi-Fi AP for Content Sharing								
	Wireless Conter	÷		Work with Ye	ealink WPP20 wireless prese	entation nod			
	UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0	UVC1.0		
			20X HD zoom	36X HD zoom	12X optical	8X digital	3X digital		
	Zoom		(12X optical, 1.7 digital)	(12X optical, 3X digital)	12X Optical	oxuigitai	5X digitai		
	Resolution / Fra	me Rate	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS		
	Field of View(diagonal)		90°	80°	80°	133°	120°		
-	Pan/Tilt range	5/	200°/130°	200°/130°	200°/130°	E-PTZ	E-PTZ		
Camera	Auto Framing						√		
Features	Speaker Trackin	a		×	×		×		
	Presenter Track	5		×	×	×	×		
			1x Yealink VCH port	1x Yealink VCH port	1x VCH port (RJ45) for mic	1x VCH port (RJ45) for mic	NA		
	Audio Ports		(RJ45) + 1x Line-in port	(RJ45) + 1x Line-out port	and speaker 1x Line-out port	1x Line-in port			
	Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	NA		
	Camera Layout								
AVHub	Maximum numb	er of cameras	NA	NA	NA	NA	NA		
	Audio Ports								
	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	115 Hz -16 KHz		
		RMS	3W	10W	10W	3W	4W		
		THD	1.00%	1.00%	1.00%	1.00%	1.00%		
		Maximum Speakers	NA	Up to 4	NA	NA	NA		
			1x MSpeech Speakerphone	e 2x CPW90 wireless mic	1x MSpeech Speakerphone	Built-in microphone	1x MSpeech Speakerphor		
Audio			Built-in 10-mic array	DECT technology, up to 50 meters distance	Built-in 3-mic array	8 MEMS mic array	Built-in 10-mic array		
Features	Microphone		20ft (6-meter ) voice pickup range	10ft(3-meter) voice pickup range of every microphone unit	20ft (6-meter ) voice pickup range	Beamforming microphone technology	20ft (6-meter ) voice pickup range		
			NA	Supports up to 4 wireless microphone units	NA	NA	NA		
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	NA	NA		
Drolood	Operating System		Windows 10 IoT Enterprise OS & License						
	Microsoft Teams Rooms App								
Preload	Yealink RoomConnect								
	Device Manager	ment Agent							
	Windows Updat	e			$\checkmark$				
Device	Yealink Device Management								
Device	Platform/Cloud Service								
Management	Platform/Cloud Microsoft SCCN				$\sim$				

Certified for Microsoft Teams

# Yealink Collaboration Display Solutions for Microsoft Teams



## Collaborative, Innovative, Effective

Microsoft Teams Rooms on Android

## **MeetingBoard**

An innovative collaboration display for creative teamwork

- $\cdot\,$  All-in-one design that fits all meeting rooms
- · Smart collaboration whiteboard
- · Premium and intelligent video experience
- · Premium full-duplex audio experience





## **DeskVision A24**

A desktop collaboration display for your instant workspace

- PC monitor mode & video conference terminal mode
- · High quality microphone and speakers
- $\cdot$  Full-HD video call
- $\cdot\,$  Wireless charger for mobile phone





## MeetingBoard Specifications



OS	OS	Android 10		
Chipset	SoC	QUALCOMM SNAPDRAGON 845		
	Size	65/85 inch		
	Backlight type	D-LED		
Display	Resolution	3840 × 2160		
	Ratio	16:9		
	Anti-Fingerprint	$\checkmark$		
	Anti-Glare	$\checkmark$		
	Resolution	3840*2160		
	Lens	8MP		
Built-in Camera	Field of view	120° diagonal field of view		
	Zoom	e-PTZ		
		4 x digital zoom		
	Privacy shutter	Automatic Hiding Shutter		
	Microphone	Built-in 16 MEMS Mic Array		
	Speaker	4 full range+2 tweeter stereo speakers		
Audio	RCA input/output	$\checkmark$		
	Acoustic echo cancellation			
	Reverberation suppression	$\checkmark$		
	Beamforming technology	$\checkmark$		
	LED lightstrips	$\checkmark$		
Buttons	Home button	$\checkmark$		
	Input source button	$\checkmark$		
	Volume up/down button	$\checkmark$		
	HDMI	1 × HDMI output		
		1 × HDMI input		
	CEC	$\checkmark$		
	PTZ camera port	$\checkmark$		
	VCH	1 × Yealink VCH port (RJ-45)		
	USB	3 × USB Type A		
Connections	Ethernet port	1 x 10/100M/1000M Ethernet port		
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band		
	Bluetooth	Built-in Bluetooth 5.0		
	Security lock slot	e-PTZ		
		4 x digital zoom		
	Windows OPS slot	Automatic Hiding Shutter		
	Reset slot	$\checkmark$		
	Motion sensor			

## DeskVision A24 Specifications

## Module



	Dimensions	23.8 inch		
	Resolution	1920 x 1080		
	Refresh Rate	60Hz		
	Color Depth	8 bit		
Screen Specifications	Contrast Ratio	1000:1		
	Viewing angle	Horizontal: 178°		
		Pitch: 178°		
	Multi-touch	10 points		
	Camera FOV	90°		
Camera Specifications	Video Specifications	Up to 1080p30 Video Call		
	Privacy protection	Automatically lifted or manually controlled lift		
	Microphone Type	Built-in microphone array		
Audio Specifications	Intelligent noise cancellation technology	$\checkmark$		
-	Speaker	Built-in Stereo Speaker		
	Dual Mode	Built-in Android + Monitor Mode		
Application Mode	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2		
	HDMI in	1		
		1x USB-C 3.0 upstream, DP-IN, provide PD up to 45w		
Application Mode	USB-C	1x USB-C 3.0 downstream interfaces for connecting peripherals,		
		Only supports the use of PCs connected to the USB-C upstream interface		
		2x USB-A 3.0 downstream interfaces for connecting peripherals,		
	USB-A	Only supports the use of PCs connected to the USB-C upstream interfac		
Thursdal interface		1x USB-A 2.0 downstream interface, used to connect to headphones		
Physical interface	Power	DC 19V		
	Wireless Charging	Support wireless charging for mobile phone		
	Button	Power、Volume、Mute、Camera on/off、Switch mode、Teams button		



Yealink Voice Device Solutions for Microsoft Teams

12:05 PM

THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.


### THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

### THE FIRST One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

## A Whole Series of Voice Device Solutions Covering Multiple Scenarios





High-Quality Audio

- Optimal HD audio, Yealink Noise
  Proof Technology
- Full-duplex hands-free speakerphone with AEC



- Embedded native Teams-tailored user interface
- Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

## **Desk Phone**

Yealink MP50 Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking 4 $\stackrel{"}{\downarrow}$ 4-inch Multi- HD Teams USB Hub Bluetooth Optional Button USB Hub Bluetooth Optional
Yealink MP54 Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces Android 9.00S 4-inch Multi- HD Teams Wi-Fi & Bluetooth via optional dongle
Yealink MP56 Mid-level Microsoft Teams phone for office workers Android 9.00S 7-inch Multi- 9.00S 7-inch Multi- buch Screen Audio Euton Built-in Wi-Fi & Bluetooth
Yealink MP58/MP58-WH Premium Microsoft Teams phone for executives and professionals Android 7-inch Multi- 9.0 OS 7-inch Multi- touch Screen Audio Teams Button Bluetooth Handset (MP58-WH)

\*Some desk phone models are certified by Skype of Business, please contact our sales for details.

11

## **Conference Phone**



Yealink CP965 Best-in-class conference phone for Microsoft Teams





Built-in 3-Microphone Wi-Fi Array



Features	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features					
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 11
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	Х
Backlight	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	3 (Home Mute Volume)
Volume control keys	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Message Waiting Indicator (MWI)	$\sim$			$\checkmark$	Х
Multiple languages	$\checkmark$		$\checkmark$		
Dedicated Teams Button	$\checkmark$	$\checkmark$	$\sim$	$\checkmark$	Х
Wall mount		$\checkmark$	$\sim$	$\checkmark$	Х
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
CNG (Comfort noise generator)	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
AJB (Adaptive jitter buffer)	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
PLC (Packet loss concealment)	$\checkmark$			$\checkmark$	$\checkmark$
AGC (Automatic gain control)/ NS (Noise Suppression)		$\checkmark$	$\checkmark$		
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	Х	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	$\sim$	$\checkmark$	$\checkmark$	Х	
Expansion Module support	EXP50	EXP50	Х	Х	Х
Bluetooth Handset support	√(MP58-WH)	Х	Х	Х	Х
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af ) , class 3	(IEEE 802.3af) , class 3	(IEEE 802.3af) , class 3	NA	(IEEE 802.3af), class 3
RJ9 handset port	$\checkmark$	$\checkmark$		$\checkmark$	Х
RJ9 headset port	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	Х
3.5 mm Jack	Х	Х	Х	2.5 mm Jack for Busylight	Х
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP		$\checkmark$	$\checkmark$	NA	$\checkmark$
Yealink Redirection and Provisioning Service (RPS)				NA	

## Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{}$  Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams.  $\sqrt{}$  Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.







# Yealink USB Peripheral Solutions for Microsoft Teams

## A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.



## **USB** Peripherals



## Speakerphone



### CP700

Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people

High-quality audio

Portable Low learning design cost hu

arning Good for st huddle rooms





### CP900

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people

ጮ



High-quality Ease of Portable audio connection design



## Camera

- Vealerie	UVC20 Personal Desktop Webcam      Immediate brilliant video experience for personal desktop      Immediate brilliant video experience	
	UVC30 Desktop 4K USB Camera with Auto-Framing and Windows Hello Support Superb Image Quality Auto- Framing Dield of View PTZ Control Easier for PTZ Control Easier for Management	
-	UVC34 All-in-One USB video bar for small and huddle rooms and work from home scenario $\underbrace{\text{Framing Enhancement}}^{\text{Wide-angle}}$ $\underbrace{\text{Electric}}_{\text{Lens Cap}}$ $\underbrace{\text{Remote Device 8 Microphone Array S}}_{\text{Built-in Speaker}}$	
	UVC40 All-in-One USB video bar for simple and smart video conferencing in small and huddle rooms $\overbrace{\mathcal{I}}^{\mathcal{I}} \qquad \overbrace{\mathcal{I}}^{\mathcal{I}} \qquad \overbrace{\mathcal{I}} \rightarrow \ \overbrace{\mathcal{I}} \qquad \overbrace{\mathcal{I}} \qquad \overbrace{\mathcal{I}} \rightarrow \ \overbrace{\mathcal{I}} \rightarrow \I $	

For any queries, please contact us via UCinfo@yealink.com



UVC84

4K PTZ Camera for medium and large room with perfect display



১৯১ 12x Optical Zoom Auto Framing







UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms

Q

÷



SRI Speaker Tracking Auto Framing









YEALINK NETWORK TECHNOLOGY CO., LTD. Email: ucinfo@yealink.com | Web: www.yealink.com

2022-05-MS-English-V1.4