

# Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption



Tenant admins can manage the devices via Yealink Device Management Platform



Professional support and post-sales services for worldwide customers









# Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A20 and A30 for small and medium spaces, but also provides the MVC940 room system that can meet the needs of extra-large rooms covering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

# Microsoft Teams Rooms on Android



## MeetingBar A20 for huddle and small rooms



All-in-one MeetingBar for smart Teams collaboration



133° field of view, 20MP, Al-powered camera



HD full-duplex audio experience



Quick setup and easy to manage



## MeetingBar A30 for medium rooms



All-in-one MeetingBar with smart Al features



O Dual-camera system for large views



HD full-duplex audio and great pickup range



Plug-and-play setup and easy management

# Microsoft Teams Video Phone



## **VP59 Teams Video Phone**

for executive desk and huddle rooms



Start Teams meeting easily with standalone Teams video phone



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

# **Specifications**

# MeetingBar A20 Teams Edition

A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable \*2
- Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 20MP Camera
- · 133° field of view
- · 8x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking

Audio

- · Built-in 8 MEMS microphone array
- · Support extention mic
- Built-in 5W high fidelity speaker
- · Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- · Full-deplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Proximity join
- · PSTN dial-in
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- rioid/riodairio
- Camera On/OffMute/Unmute
- Volume Up/Down
- Hang up

# MeetingBar A30 Teams Edition

A30 -Teams Package

- · MeetingBar A30
- · 3m Ethernet cable
- · 2 x 1.8m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing(optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System

Wide Camera:

- · 8MP Camera
- · Field of view: 120°
- · 4x e-PTZ Camera

Telephoto Camera:

- · 8MP Camera
- · Field of view: 90°
- · 10x Hybrid Zoom (3.5x optical, 3x digital)
- Horizontal Rotation
   Angle: +25°/-25°
- · Vertically Rotation Angle: +16°/-16°
- · Electric Privacy Shutter
- · Intelligence Features
- Auto Framing
- Speaker Tracking

#### Audio

- · Built-in 8 MEMS microphone array
- · Support extention mic
- · Two Built-in 5W high fidelity speaker
- · Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation

## Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up
- Microsoft DM
- Proximity join

# **VP59 Teams Edition**

- · 8 inch (1280 x 800) capacitive adjustable touch screen
- Optimal HD audio, support
   Yealink Noise Proof technology
- HDMI for connection to monitor or TV Based on Android 9.0
- Full-duplex hands-free speakerphone with AEC
- · Microsoft Teams-tailored user interface
- Support Microsoft/Yealink/ Unify Square device management platform
- · 2 mega-pixel HD camera with privacyshutter
- · Built-in Bluetooth 4.2
- · Built-in dual band 2.4G/5G Wi-Fi
- · USB 2.0 port
- · Dual-port Gigabit Ethernet, PoE support

# Microsoft Teams Rooms System on Windows

### **Complete Bundle Solution**

The Yealink MVC II series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



### **Consistent Teams Experience**

- · Easy to Use
- · One-touch to join



Wireless Content Sharing

 One tap to share content wirelessly with WPP20



Simplified Cabling System

- · Shorten deployment time
- · For all MVC II room systems

## Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320 for focus and small rooms (2-6 users)



#### UVC30

4K camera, 120°FoV, Auto Framing



## MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC400 for huddle and small rooms (2-7 users)

### UVC40 All-in-One USB Video Bar

Al features: Auto Framing & Speaker Tracking 20MP, 133° FoV



noise proof, full-duplex, built-in 8 MEMS microphone





MVC640 for medium rooms (7-11 users)



#### UVC84

4K camera, 12x optical zoom, Auto Framing



### MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC640-Wireless-CPW90 for medium rooms (7-11 users)



#### UVC84

4K camera, 12x optical zoom, Auto Framing



#### CPW90

360° 10 feet voice pickup range, flexibility in placement without any wiring troubles.





MVC840 for medium and large rooms (12-18 users)



## UVC84

4K camera, 12x optical zoom, Auto Framing



#### VCM34

360° 20 feet voice pickup range, cascade connection for up to 6 units





MVC940 for extra-large rooms (>18 users)



#### UVC84

4K camera, 12x optical zoom, multi-camera solution with Camera Hub(up to 9 cameras)



#### **Flexible Audio Options**

work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II





MVC660 for medium rooms (7-11 users)



#### UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



### **MSpeech**

HD voice, full-duplex, 10ft/6 meter pickup range





## MVC860

for medium and large rooms (12-18 users)



### UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking




### Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone and the CPW90 wireless microphone with MSpeaker II



Yealin	< MVC	Series Team	ns Room Syste	m Specification	า				
Module	Feature	es	MVC940	MVC840	MVC640	MVC400	MVC320		
			10 10				<b>40</b>		
							The state of the s		
			And A Company of the	Tr		0 0			
	Target Roo	m Siza	Evtra large rooms	Large rooms	Medium rooms	Small rooms	Focus rooms		
	Mini-PC		Extra large rooms Large rooms Medium rooms Small rooms Focus rooms  Yealink MCore						
	Touch Console & Sharing Device		Yealink MTouch II						
Components	USB Camera		Camera Hub 2x Yealink UVC84 4k 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera		Yealink UVC30 Room 4K camera		
	Audio		Flexible options	2x VCM34 array mics+Yealink soundbar 3x VCM34 array mics + 2x Yealink soundbar	Yealink MSpeech tabletop speakerphone	Yealink UVC40 all-in-one USB video bar	Yealink MSpeech tabletop speakerphone		
	Wireless Presentation		2x WPP20	1x WPP20	Optional	Optional	Optional		
	CPU Memory		8th-gen Intel QUAD-CORE i5-8265U						
	Storage		8GB (2*4GB) 128GB SSD						
	Video Output		2x HDMI, CEC supported						
MCore	USB		4x USB3.0						
	Wi-Fi		J						
	Bluetooth Yealink VCI	H Port	√						
	Cable Management		J						
	Screen Size	9	8 inches IPS screen						
	Screen Res	solution	1280 x 800						
	Bracket	tion Connor	Adjustable 28° ~ 50°						
	Human Motion Sensor 3.5mm Audio Port		J						
MTouch II	USB-A Port		√ 1x USB-A Port, connect to USB audio device if necessary						
	Content Sharing Resolution / Frame Rate								
	Video Input interface for Content Sharing								
	Built-in Wi-Fi AP for Content Sharing			Work with	√ Yealink WPP20 wireless preser	etation nod			
	Wireless Content Sharing UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0		
	Zoom		12X optical	12X optical	12X optical	8X digital	3X digital		
		/ Frame Rate	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K/30FPS		
	Field of View(diagonal)		80°	80°	80°	133°	120°		
Camera Features	Pan/Tilt range Auto Framing		200°/130°	200°/130°	200°/130°	E-PTZ	E-PTZ		
rodidios	Speaker Tracking		×	×	×	J	×		
	Audio Ports		1x Yealink Microphone port + 1x Line-out ports	1x Yealink Microphone port + 1x Line-out ports	1x Yealink Microphone port + 1x Line-out ports	1x Yealink Microphone port + 1x Line-in port	NA		
	Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	NA		
	Camera Layout		Support camera layout including full screen, surrond, division	ncluding division					
Camera-hub	Maximum r	number of cameras	Up to 9 UVC84 camera	NA	NA	NA	NA		
	Audio Ports		1x Yealink Microphone port + 1x RCA-in & 1x RCA-out ports						
	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	115 Hz -16 KHz		
		RMS THD	10W 1.00%	10W 1.00%	10W 1.00%	3W 1.00%	4W 1.00%		
		Maximum Speakers	Up to 4 (optional)	1.00% Up to 4	1.00% NA	1.00% NA	1.00% NA		
Audio Features	Microphone		Mutiple VCM34 array	2~3 VCM34 array mics	1x MSpeech Speakerphone	Built-in microphone	1x MSpeech Speakerphone		
			mics (optional)  Built-in 3-mic array	Built-in 3-mic array	Built-in 3-mic array	8 MEMS mic array	Built-in 3-mic array		
			20ft(6-meter) voice	20ft(6-meter) voice	20ft (6-meter ) voice	Beamforming microphone	20ft (6-meter ) voice		
			pickup range Cascade connection	pickup range Cascade connection	píckup range NA	technology	pickup range NA		
	Operating System		up to 6 units up to 6 units VVA VVA VVA VVA VVA VVA VVA VVA VVA VV						
Preload	Microsoft Teams Rooms App		willows to lot enterprise O5 & Licerise  √						
	Yealink RoomConnect		J						
	Device Management Agent Windows Update								
Device	Yealink Device Management		J						
Device	Platform/Cloud Service Microsoft SCCM		√ !						
Device Management					.1				

Module	Features		MVC860	MVC660	MVC640-Wireless			
			Fr					
	Target Room Size		Large rooms	Medium rooms	Medium rooms			
	Mini-PC			Yealink MCore				
	Touch Console & Sharing Device		Yealink MTouch II					
Components	USB Camera		Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera			
	Audio		VCM34 array mic/CPW90 wireless mic /VCM38 ceiling mic + Yealink soundbar	Yealink MSpeech tabletop speakerphone	2x CPW90 wireless mics + Yealink soundba			
	Wireless Presentation		WPP20 (Optional)					
	CPU		8th-gen Intel QUAD-CORE i5-8265U					
	Memory		8GB (2*4GB)					
	Storage		128GB SSD					
	Video Output		2x HDMI, CEC supported					
//Core	USB		4x USB3.0					
	Wi-Fi		1					
	Bluetooth		1					
	Yealink VCH Port		√					
	Cable Management			√				
	Screen Size			8 inches IPS screen				
	Screen Resolution		1280 x 800					
	Bracket		Adjustable 28° ~ 50°					
	Human Motion Se		√					
/Touch II	3.5mm Audio Port		1					
// Ouci II	USB-A Port		1x USB-A Port, connect to USB audio device if necessary					
	Content Sharing Resolution / Frame Rate		1080P / 30FPS					
	Video Input interface for Content Sharing			HDMI & USB-C				
	Built-in Wi-Fi AP for Content Sharing		$\sqrt{}$					
	Wireless Content Sharing		Work with Yealink WPP20 wireless presentation pod					
	UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0			
	Zoom		"20X HD zoom (12X optical, 1.7X digital)"	"20X HD zoom (12X optical, 1.7 digital)"	"36X HD zoom (12X optical, 3X digital)"			
	Resolution / Frame Rate		4K / 30FPS	4K / 30FPS	4K / 30FPS			
Camera	Field of View(diag	onal)	90°	90°	80°			
eatures	Pan/Tilt range		200°/130°	200°/130°	200°/130°			
	Auto Framing		√	$\sqrt{}$	√			
	Speaker Tracking		√ .	$\sqrt{}$	×			
	Audio Ports		"1x Yealink VCH port (RJ45) + 1x Line-in port"	"1x Yealink VCH port (RJ45) + 1x Line-in port"	"1x Yealink VCH port (RJ45) + 1x Line-out po			
	Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Outp			
Camera-hub	Camera Layout							
	Maximum number of cameras		NA	NA	NA			
	Audio Ports							
	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz			
		RMS	10W	3W	10W			
		THD	1.00%	1.00%	1.00%			
Audio		Maximum Speakers	Up to 4	NA	Up to 4			
eatures			2~6 VCM34 array mics	1x MSpeech Speakerphone	2x CPW90 wireless mic			
	A diamanda a sa		2~8 VCM38 ceiling mics	Built-in 10-mic array	DECT technology, up to 50 meters distance			
	Microphone		2~4 CPW90 wireless mics	20ft (6-meter ) voice pickup range	"10ft(3-meter) voice pickup range of every microphone unit"			
			NA NA Supports up to 4 wireless micro					
	Operating System		Windows 10 IoT Enterprise OS & License					
reload	Microsoft Teams Rooms App		√					
	"Yealink RoomConnect Device Management Agent"		√					
	Windows Update		√					
evice	"Yealink Device Management Platform/ Cloud Service"		$\checkmark$					
Management	Microsoft SCCM		1					
	Microsoft SCCM Microsoft Intune		J					



# THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

# THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

# THE FIRST One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

# A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices

Shared devices





















Desk phone

Speakerphone

Conference phone



- · Optimal HD audio, Yealink Noise Proof Technology
- · Full-duplex hands-free speakerphone with AEC



- · Embedded native Teams-tailored user interface
- · Consistent Teams calling and meeting experience



### Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

### **Desk Phone**



Yealink MP50

Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking

Teams



4-inch Multitouch Screen











Optional Busylight







Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces

Audio



Android

9.0 OS



touch Screen

HD

Audio

















Mid-level Microsoft Teams phone for office workers



9.0 OS

7-inch Multitouch Screen





Audio



Teams

Button

Button





Bluetooth





Yealink MP58/MP58-WH

Premium Microsoft Teams phone for executives and professionals



Android 9.0 OS



touch Screen



Audio



Teams

Button





Bluetooth





## **Conference Phone**



Yealink CP960

Enterprise-grade conference phone for Microsoft Teams



Android OS



touch Screen



Backgroud Noise



3-Microphone



Features Model	MP58/MP58-WH	MP56	MP54	MP50	CP960
General features					
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 5.1.1
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	√	√	√	√	X
Backlight	√	√	√	√	√
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	2 (home, mute)
Volume control keys	√	√	√	√	√
Message Waiting Indicator (MWI)	√	√	√	√	X
Multiple languages	√	√	√	√	√
Dedicated Teams Button	√	√	√	√	X
Wall mount	√	√	√	√	X
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	√	√	√	√	√
CNG (Comfort noise generator)	√	√	√	√	√
AJB (Adaptive jitter buffer)	√	√	√	√	√
PLC (Packet loss concealment)	√	√	√	√	√
AGC (Automatic gain control)/ NS (Noise Suppression)	√	√	V	√	$\checkmark$
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.0+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	Х	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	√	√	√	X	√
Expansion Module support	EXP50	EXP50	X	Х	X
Bluetooth Handset support	√(MP58-WH)	Х	X	Х	Х
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af), class 3	(IEEE 802.3af ) , class 3	(IEEE 802.3af), class 3	NA	(IEEE 802.3af), class 3
RJ9 handset port	√	√	√	√	X
RJ9 headset port	√	√	√	√	X
3.5 mm Jack	Х	X	X	2.5 mm Jack for Busylight	1
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	√	√	√	NA	$\checkmark$
Yealink Redirection and Provisioning Service (RPS)	√	√	V	NA	$\checkmark$

# Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{}$  Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams.

 $\sqrt{\mbox{Hybrid-mode}}$  feature on Teams devices provides an integrated experience of Teams and SIP App.





# A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video











**UC** Workstation

Headset

Speakerphone

Camera

Video Bar

# **USB** Peripherals

## Speakerphone



#### **CP700**

Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people









Good for





#### **CP900**

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people







design







### Headset



### UH34 & UH34 Lite Dual/Mono

Essential USB Wired Headset









performance

All day wearing comfort





#### **UH36 Dual/Mono**

Premium USB Wired Headset







All day wearing comfort





#### WH62 & WH63

Essential DECT Wireless Headset







experience

options







## WH66 & WH67 UCWORKSTOTION

Premium DECT Wireless Headset





in one



in one



Customizable



## Camera



### **UVC20 Personal Desktop Webcam**

Immediate brilliant video experience for personal desktop

Omni-direction Rotatable



-pixel



Light\*



Mic



Lens





Built-in Easy Use & Lens Cap Management





### **UVC30 Desktop**

4K USB Camera with Auto-Framing and Windows Hello Support



Quality



Framing







Easy for setup & Easier for PTZ Control management





#### UVC40 All-in-One USB Video Bar

For Simple and Smart Video Conferencing in Small and Huddle Rooms





Framina



Tracking









Electric Remote Device 8 Microphone Array & Built-in Speaker





#### UVC84

4K PTZ Camera for medium and large room with perfect display





Zoom



Framing



Control









#### UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms



4K-20X PTZ



Framing



Tracking



Tracking



Scalability



System

Scalability protection



For any queries, please contact us via UCinfo@yealink.com



YEALINK NETWORK TECHNOLOGY CO., LTD.

Email: ucinfo@yealink.com | Web: www.yealink.com